



A HISTORY OF EXCELLENCE

T&S Brass and Bronze Works has built a reputation for quality, service and innovation for over 75 years — beginning with our original pre-rinse unit, the market's very first. Today, our products have become the standard for many U.S. hospitals, schools, restaurants, supermarkets and public facilities.

T&S products are highly acclaimed throughout the industry for being well-built, long-lasting and reliable.

Rigorous testing and a focus on interchangeability have helped set T&S apart from the competition.

Sensor Faucet Features:

- 2.2 GPM or 0.5 GPM Vandal-resistant aerator
- AC/DC power
- Adjustable temperature control mixing valve
- Check valves
- Rigid Gooseneck / Cast spout



EC-3104

4" centers deck-mount cast spout

EC-3104-VF05

With 0.5 GPM VR non-aerated spray device



EC-3142-VF05

deck-mount cast spout



ECW-3152

Deck-mount cast spout with polished chrome finish

ECW-3152-BN

Deck-mount cast spout with brushed nickel finish

ECW-3152-MB

Deck-mount cast spout with matte black finish



ECW-3158

Deck-mount cast spout with polished chrome finish

ECW-3158-BN

Deck-mount cast spout with brushed nickel finish

ECW-3158-MB

Deck-mount cast spout with matte black finish

Pantry and Big-Flo Faucets:



B-0231

8" centers with 12" swing nozzle



B-0502

Double pedal valve, floor-mount



B-0520-F05

6" rigid/swivel gooseneck

Service Sink Faucets:



B-0674-RGH

Vacuum breaker nozzle with 8" centers rough chrome



B-0665-BSTR

Built-in stops, 8" centers and vacuum breaker nozzle, rough chrome

B-0665-POL

Built-in stops, 8" centers, vacuum breaker nozzle, polished chrome

Single Lever Faucets:



B-2701

Single hole, single lever with 2.2 GPM aerator

B-2711-VF05

4" centerset, 4" handle with 0.5 GPM VR outlet



BP-2704

Single hole, single lever with 0.5 GPM VR concealed non-aerated spray device

BP-2712

4" centerset, single lever with 0.5 GPM VR concealed non-aerated spray device

Medical and Lavatory Faucets:



BP-0723

LakeCrest aesthetic metering faucet in polished chrome



B-0890-VF05

3¾" cast basin spout with 0.5 GPM VR non-aerated spray device



B-0892-01

4" lavatory faucet w/rigid gooseneck, 2.2 GPM Aerator

B-0892-CR

4" lavatory faucet w/swivel gooseneck, 2.2 GPM Aerator

B-0892-VF05

with 0.5 GPM VR non-aerated spray device



B-2866-05

Concealed widespread faucet w/ 2.2 GPM Aerator, swivel gooseneck

Thermostatic Mixing Valves:



EC-TMV

1/2" NPSM male threads

BP-TMV-38C

3/8" compression

BP-TMV-38C-BPT

3/8" compression with cold water by-pass tee

Metering Faucets:



B-0831

Deck mount with 4" centers and 2.2 GPM aerator



B-0712-VF05

Slow self-closing basin faucet with 0.5 GPM VR non-aerated spray device

Workboard Faucet Features:

• Use T&S cartridges

- 2.2 GPM aerator
- Eterna or Cerama cartridge models available
- · Easier to maintain

· Updated, modern look



B-1110

4" centers with 6" Swing Nozzle

B-1110-XS

With 2" extended shanks



B-1115

4" centers with 6" Swing Nozzle



B-1120

8" centers with 6" Swing Nozzle

B-1120-XS

With 2" extended shanks



B-1141-XSCR4V05

4" deck mount, 6" swivel with 0.5 GPM VR outlet and 4" handles

B-1141

Deck mount, 4" centers and 133X swivel gooseneck

Hose Reels:



B-7232-01

Open epoxy coated steel hose reel, high flow spray valve with swivel, 3/8" x 35' heavy-duty non-marking hose, ratcheting system, multi-fit bracket, adjustable hose bumper and 3/8" NPT female inlet

Glass Fillers:



B-1200

Wall mount, 3/8" NPT female inlet with adjustable flange



B-1210

8" deck mount pedestal, 1/2" NPT male shank



B-1256

Order this Repair Kit for any B-1200 series Glass Filler:

- Adjustable outlet with hex key
- Valve Assembly with valve spring
- Lever Arm repair kit with screw and nut

Vacuum Breakers:



B-0969

1/2" NPT Inlet & Outlet



B-0969-RK01

Repair Kit Includes:

- (-)
- (2) coverplate screws (1) disc seal
- (1) brass insert
- (1) float piston
- (1) Insert 'O'-Ring

Waste Valves:

• **#017670-45** Modular Waste Valve Installation Tool (comes with B-3990; can be ordered separately



B-3990

Modular Waste Valve



B-3952

Rotary Waste Valve for 3 1/2" Sink Opening



B-39K

Repair Kit Includes:

- (1) 3-1/2" head gasket
- (1) twist handle washer
- (1) 3" head gasket
- (1) twist handle '0'-Ring
- (1) Plunge '0'-Ring
- (1) twist handle 'C'-Ring
- (1) drain bushing
- (1) rod nut '0'-Ring
- (1) outlet coupling washer

SAFET-LINK 48" Gas Appliance Hoses:



HG-4D-48K

3/4" NPT male connections w/ quick disconnect, includes installation kit

HG-4D-48S


3/4" NPT male connections w/ swivels

HG-4D-48SK

3/4" NPT male connections w/ swivels, includes installation kit



B-0133-ADF12-BEasyInstall, Spring Action, 8" Wall
Mount, 12" Add-On Faucet, Wall
Bracket





Pre-Rinse Accessories:



B-TEE-EZK

Pre-Rinse Accessory Tee



018200-40Pre-Rinse Swivel



Add-on faucet with 12" nozzle and lever handle

Installation Kits for B-1100 and B-0230 Series:



B-0230-KIT Inlet kit includes:

- ½" NPT supply nipples and elbows
- 1/2" NPT male outlet
- Lock nuts and washers
- 3/8" compression inlet



B-0230-K Elbow Installation Kit includes two (2) each:

- 1/2" NPT supply nipplesLock nut and washers
- 1/2" NPT male x female short elbows



B-0425-M Supply nipple kit includes:

- 1/2" NPT x 2" inlet supply nipple
- 1/2" lock nut and washers



B-1100-K Parts Kit includes:

(2) 1/2" NPT male x female short elbows

Wrist Action Faucet Handles:



- **B-WH4-NS** 4" Handle Only (shown) **B-WH4H-NS** 4" Hot (w/ index, screw)
- **B-WH4C-NS** 4" Cold (w/ index, screw)

Lever Faucet Handles:



- **001636-45NS** Cold (shown)
- **001637-45NS** Hot
- 001638-45NS Handle Only (no index)

Adapters:



B-0467 Fisher Wall Mount Faucet Adapters *(pictured left)* **EZ-SWIVEL-FM** Swivel Adapter for Fisher Faucets **172A** Adapter, 1/4 NPT Male x 3/4-14 UN Male Chrome-Plated Brass

Push Button/Wrist Action Metering Cartridges:



238A

Push Button Metering Cartridge



012449-40

Wrist Action Metering Cartridge



B-238RK

Metering Cartridge Repair Kit



238AB Push Button Metering Cartridge (Blank handle)

238AC Push Button Metering Cartridge (Cold handle)

238AH Push Button Metering Cartridge (Hot handle)

Hot and Cold Cartridge Assemblies:



Eterna-Compression

Quarter-Turn Eterna Cartridge with Integral Spring Check: Lever Handle with Index



002712-40NS Hot

002711-40NS Cold

012443-40NS Hot, less handle

012442-40NS Cold, less handle



Cerama-Ceramic

Quarter-Turn Cerama Cartridge with Check Valve: Lever Handle with Index

012446-25NS Hot

012447-25NS Cold **012394-25NS** Hot, less handle

012395-25NS Cold, less handle

Nozzles and Goosenecks:

Swing Nozzle		
H		
/16"		
5/16"		
6/16"		
5/16"		
7/8"		
5/16"		