Tes

Drawn:

DMH

Checked:

MDF

Approved:

JHB

Date:

T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

ECW-3152-BN

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

	, ,				
		This Space for Architect/Engineer Approval			
Ø2 1/4"	WAVECREST	Job Name	Date		
[57mm]	D1 1800	Model Specified	Quantity		
		Customer/Wholesaler			
5 1/8"		Contractor			
[131mm]	ADA Compliant	Architect/Engineer			
Brushed Nickel Cast Brass Spout	0.5 GPM [1.9 Concealed Non-Aerated Spray Device		- -		
7 1/2" NPSM x 1/ 18" [457mm] Fl Stainless Steel	4" NPSM exible	4 1/16"	5 5/16" [135mm]		
	nose	[104mm] 7			
Mounting Surface		1	—		
Suriade	24" [610mm] Sensor Cable	Ø 1/8" [3mm] Anti-Rotation Pin. Remove if Not Used. (See Mounting Hole Detail)	2 1/4" [57mm]		
Removable	72"	-240 VAC Adapter w/ [1830mm] Power Cable.	Maximum Thickness		
Strainer	[10] Wa	 4 3/8" x 2 3/16" Deep 2mm x 111mm x 56mm] ter Resistant Control Module Box Internal Flow Control Setting Swite 	(Brown)		
	AC	or DC Operated w/ (4) AA Batteri dwire Capable Using Terminals o	es.		
	(2) 3/8" Com	npression x 1/2" NPSM Flexible Stainless Steel	n Baok		
		Mou	Inting Hole		
		13/16" [21mm]	Detail Ø1" [25mm]		
Temper	ature Mixing Valve	 	+(+)		
w/ Integ	ral Check Valves	\(\frac{1}{2} \)	\		
Product Specifications:		Product Compliance:			
Brushed Nickel Brass Electronic Fauce	et: Single Hole, Deck Mount,	Cast Spout ASME A112.18.1 / CSA E	125.1		
w/ 0.5 GPM Concealed Non-Aerated S Internal Flow Control Setting Switches Integral Check Valves & 18" Hot & Col	priay Device, AC/DC Contro , Temperature Control Mixing	I Module W/ NSF 61 - Section 9 g Valve w/ NSF 372 (Low Lead Cont	ent)		
Integral Check Valves & 18" Hot & Col	d Supply Stop Flexible Conn	ector Hoses ANSI A117.1 (ADA)	•		

UL 1951

Scale:

1:5

Sheet: 1

of

11/14/23




T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

ECW-3152-BN

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



 ITEM NO.
 SALES NO.
 DESCRIPTION

 1
 020755-45
 Straight Hidden Sensor w/ Screw

 2
 B-0199-M21-V05
 0.5 GPM Concealed Spray Device, M21.5 x 1

 3
 020674-45
 M21.5 x 1 Red Cache Key

 4
 020754-45
 WaveCrest Sensor Cable

 5
 016297-45
 Inlet Hose, Faucet, 1/2" NPSM-F x 1/4" NPSM-F

 6
 EC-FILTER
 Replacement Filter


 7
 020744-45
 WaveCrest Control Module w/ Filter Tee

 8
 5EF-0002C
 AC Adapter - US Plug

 9
 5EF-0005
 Supply Hose, 9/16-24 Female x 1/2" NPSM

 10
 5EF-0006
 Temperature Mixing Valve

A Maximum of (8) ChekPoint Faucets can be Hardwire Connected and Powered by EC-HARDWIRE ChekPoint Hardwire AC Transformer. (Sold Separately)



-Flow Control Switches are Located Behind Battery Compartment Cover.

- * Switches are Set to DEFAULT Position:
- Auto Time Out = 15 Seconds
- Shut Off Delay = 1 Second
- Auto Flush = OFF
- Metering Mode = OFF

- * Available Water Flow Control Selections:
- Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min
- Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec
- Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF
- Metering Mode: ON or OFF

Product Specifications:

Brushed Nickel Brass Electronic Faucet: Single Hole, Deck Mount, Cast Spout w/ 0.5 GPM Concealed Non-Aerated Spray Device, AC/DC Control Module w/ Internal Flow Control Setting Switches, Temperature Control Mixing Valve w/ Integral Check Valves & 18" Hot & Cold Supply Stop Flexible Connector Hoses

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn:	DMH	Checked:	MDF	Approved:	JHB	Date:	11/14/23	Scale:	NTS	Sheet: 2 of 2