# Tes

## T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

EC-3103-VF5-LMV

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

	ChekPoint*	This Space for Architect/Engineer Approval			
6 3/16"	ChekPoint	Job Name	Date		
[157mm]	L	Model Specified	_Quantity		
	<u>G.</u>	Customer/Wholesaler			
	ADA Compliant	Contractor			
		Architect/Engineer			
	0.5 GPM [1.9 L/n Vandal Resistant Non-Aerated Spr Solid Cast Brass Body w/	: <sup>-</sup> 4 13/16" <sub> </sub>	_		
Call	Polish Chrome Plated Finish		<u> </u>		
Bass	1/2" NPSM x 1/4" NPSM 18" [457mm] Long Flexible Stainless Steel Hose	4 1/16" [103mm] Mounting Surface	5 1/16" [129mm]		
4" [102mm]	24" [610mm] Sensor Cable	1 7/8"  [48mm]  Maximum Thickness	2 1/4" [57mm]		
Removable Strainer	100-240 72" [183	VAC Adapter w/ 0mm] Power Cord			
1/2" NPSM Female— Swivel Nut Inlet	w/ Internal Flow Cont AC or DC Operated v	56mm] trol Module Box (Grey) trol Setting Switches,			

Rough-In Requirement:

(1) Ø1" [25mm] Center Shank Mounting Hole

(2) 0/2 Mounting Stud Holes on 4" [102mm] Centers

**Product Specifications:** 

Chrome Plated Brass Electronic Faucet: 4" Centerset Deck Mount, Cast Spout w/ 0.5 GPM VR Non-Aerated Spray Device, AC/DC Control Module w/ Internal Flow Control Setting Switches & 18" Flexible Supply Hoses

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn: DMH Checked: JRM Approved: JHB Date: 04/05/22 Scale: 1:6 Sheet: 1 of 2



### T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690


Model No.

EC-3103-VF5-LMV


Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

	000 120 0100 1 dx. 001 0010 WWW.toblaco.com						
ITEM   SALES NO.   1   B-0199-08-N05		SALES NO.	DESCRIPTION				
		B-0199-08-N05	0.5 GPM VR Spray Device, 13/16-27 Male				
2 015425-45		015425-45	Vandal Resistant Key				
* 3 019174-45		019174-45	Sensor Cable Assembly				
	4 016297-45		Inlet Hose, Faucet, 1/2" NPSM-F x 1/4" NPSM-F				
	5	EC-FILTER	Replacement Filter				
* 6 019944-45		019944-45	ChekPoint Control Module w/ Filter Tee				
	* 7	5EF-0002C	AC Adapter - US Plug				



A Maximum of (8) ChekPoint Faucets can be Hardwire Connected and Powered by EC-HARDWIRE ChekPoint Hardwire AČ Transformer. (Sold Separately)



Flow Control DIP Switches are Located Behind Battery Compartment Cover.

- Switches are Set to DEFAULT Position: - Auto Time Out = 15 Seconds
- Shut Off Delay = 1 Second
- Auto Flush = ÓFF
- Metering Mode = OFF

#### \*Available Water Flow Control Selections:

- Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min
- Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec
- Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF
- Metering Mode: ON or OFF

#### **Product Specifications:**

Chrome Plated Brass Electronic Faucet: 4" Centerset Deck Mount, Cast Spout w/ 0.5 GPM VR Non-Aerated Spray Device, AC/DC Control Module w/ Internal Flow Control Setting Switches & 18" Flexible Supply Hoses

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn:	DMH	Checked:	JRM	Approved:	JHB	Date:	04/05/22	Scale:	NTS	Sheet: 2 of 2