Tes

T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

EC-1210-08

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

<u> </u>	<u>*</u>				
2 1/4"	ጥ ድን	This Space	r Approval		
57mm	ChekPoint™	Job Name		Date	
	[-6]	Model Specified_		Quantity	
2 1/2" [63mm]	15.1	Customer/Whole	saler		
	ADA Compliant	Contractor			
	·	Architect/Engineer			
				^	
w/ Vai	M	0mm] f. pnm] Module Box (G Setting Switche 4) AA Batteries. Terminals on B	10" [254mm	[3mm] cation emove esired. ounting	
Product Specifications:		Dr	oduct Compliance:		
Product Specifications:	Clastronia Class/Pattle Filler: Single		oduci Compilance.		

8" High Chrome Plated Brass Electronic Glass/Bottle Filler: Single Hole Deck Mount, High-Arc Rigid Nozzle w/ VR 1.5 GPM Laminar Flow Device, AC/DC Control Module w/ Internal Flow Control Setting Switches, and 18" Flexible Supply Hose

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn: DMH Checked: JMD Approved: JHB Date: 06/20/24 Scale: 1:8 Sheet: 1 of 2



T&S BRASS AND BRONZE WORKS, INC.


2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

EC-1210-08

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



*Available Water Flow Control Selections:

- Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min

- Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec - Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF

- Metering Mode: ON or OFF

Product Specifications:

8" High Chrome Plated Brass Electronic Glass/Bottle Filler: Single Hole Deck Mount, High-Arc Rigid Nozzle w/ VR 1.5 GPM Laminar Flow Device, AC/DC Control Module w/ Internal Flow Control Setting Switches, and 18" Flexible Supply Hose

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn	: DMH	Checked:	JMD	Approved:	JHB	Date:	06/20/24	Scale:	NTS	Sheet: 2 of 2