## T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

S-1210

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

			This Space for Architect/Engineer Approval		
EVERSTE		16.1	Job Name		Date
		ADA Compliant	Model Specified		Quantity
			Customer/Wholesale	er	
_			Contractor		
			Architect/Engineer_		
			3 3/ [96m		
	− Ø 2" [51mm] Adjustable Flange	Stainless Steel Flow Outlet  8"  [204mn	SS VR Screw  Stainless - Steel Leve Arm  4 11/16"  [120mm]  Mounting Surface	r [2	9 5/16" 237mm]
	−1/2" NPT Male Inlet			1 1/8"	
Rough-In Requirement:		VI	734-45 R Bit cluded	[29mm] Maximum Thickness	
Product Specifications:	sinlana Ctan	J Class Filler Buck D		ct Compliance:	

8" Deck Mount Pedestal Type Stainless Steel Glass Filler, Push Back Design, Stainless Steel Self-Closing Arm w/ VR Screw, Adjustable Stainless Steel Deck Flange & 1/2" NPT Stainless Steel Male Inlet

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA)

Drawn: KJG Checked: JMD Approved: JHB Date: 06/21/24 Scale: 1:3 Sheet: 1 of 2

## TES


## T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

S-1210

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



**Product Specifications:** 

8" Deck Mount Pedestal Type Stainless Steel Glass Filler, Push Back Design, Stainless Steel Self-Closing Arm w/ VR Screw, Adjustable Stainless Steel Deck Flange & 1/2" NPT Stainless Steel Male Inlet

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA)

Drawn: KJG Checked: JMD Approved: JHB Date: 06/21/24 Scale: NTS Sheet: 2 of 2