Tes

T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

EC-3142-ST-VF05

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

| ChekPoint™ | | This Space for Architect/Engineer | • • |
|---|---|-----------------------------------|-------------------|
| | | Job Name | |
| ADA Compliant | | Model Specified | |
| | | Customer/Wholesaler | |
| Ø2 1/2 " | | Contractor | |
| [64mm] | | Architect/Engineer | |
| Internal Above Deck Electronics w/ Flow Control Setting Switches. Powered w/ 6 VDC Lithium Battery. | Cast Spout w/ 0.5 GPM [1.9 L/min Vandal Resistant Non-Aerated Spray Device | 5" | 6 3/8" [163mm] |
| Removable Anti-Rotation Pin | Mounting Surface | [127mm] | |
| 13/16" [21mm] | | <u> </u> | |
| [211111] | | 1 3/4" | |
| | | Maximum Thickness | |
| | 18" [457mm] F Stainless Steel w/ 1/2" NPSM Filter Washer | Supply Hose | |
| 100-240 VAC Adapter w/ — 72" [1830mm] Power Cord | Check Valve Ac w/ 3/8" Compre (9/16-24 UN) In | ssion | |
| Rough-In Requirement: Ø1 1/4" [32mm] Mounting Hole Ø3/16" [5mm] Anti-Rotation Pin Hole (Op | otional) | | |

Product Specifications:

Chrome Plated Brass Above Deck Electronics Faucet, Single Hole Single Temperature Deck Mount, Cast Spout w/ 0.5 GPM VR Non-Aerated Spray Device, Battery or AC Adapter Powered, Stainless Steel Flexible Supply Line & 3/8" Compression Inlet

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn: DMH Checked: JRM Approved: JHB Date: 11/01/23 Scale: 1:6 Sheet: 1 of 2



T&S BRASS AND BRONZE WORKS, INC.


2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

EC-3142-ST-VF05

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



| 120 0 100 1 dx. 00 1 00 10 WWW.topiaco.com | | | |
|--|---------------|---|--|
| ITEM NO. | SALES NO. | DESCRIPTION | |
| 1 | B-0199-08-N05 | 0.5 GPM VR Non-Aerated Spray Device, 13/16-27 Male w/ Key | |
| 2 | 020330-45 | Solenoid Valve, M22 x 2 Male Thd | |
| 3 | 019087-45 | 6VDC Lithium Battery, CR-P2 | |
| * 4 | 020417-45 | Aux. Power Connector Cable | |
| * 5 | 5EF-0002C | AC Adapter - US Plug | |
| 6 | 020270-45 | Body Screw w/ L-Key | |
| * 7 | 020426-45 | Single Temp Body Plug | |
| * 8 | 018544-45 | SS Flex Hose w/ Check Valve Adapter | |
| | | | |

* For Versions Prior to 2024, Consult with T&S Customer Service



A maximum of (8) ChekPoint faucets can be powered by EC-HARDWIRE ChekPoint Hardwire AC Transformer when connected using EC-ADEWIRE cables. (Both sold separately)



020760-45 Sensor Range Set-Up Magnet



015425-45 VR Aerator Key



018543-45 Torx T-20 VR L-Key

Flow Control Switches are Located Behind the Sensor. Remove Battery to Access Switches.

- * Switches are set to DEFAULT position:
 - Auto Time Out = 15 seconds
 - Shut Off Delay = 1 second
 - Auto Flush = OFF
 - Metering Mode = OFF
- * Available Water Flow Control Selections:
 - Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec
- Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF
- Metering Mode: ON or OFF

Product Specifications:

Chrome Plated Brass Above Deck Electronics Faucet, Single Hole Single Temperature Deck Mount, Cast Spout w/ 0.5 GPM VR Non-Aerated Spray Device, Battery or AC Adapter Powered, Stainless Steel Flexible Supply Line & 3/8" Compression Inlet

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn: DMH Checked: JRM Approved: JHB Date: 11/01/23 Scale: NTS Sheet: 2 of 2