
Swivel Sink and Pantry Faucets B-2294-CR

Double Pantry Faucet

Architect/Engineering Specifications:

Single hole deck mount mixing faucet with polished chrome plated brass body, 14" swing nozzle with stream regulator outlet, ceramic cartridges with check valves, lever handles, 5 13/16" riser and 18" flexible stainless steel supply hoses with 1/2" NPSM / 5/8" compression connections. Certified to ASME A112.18.1 / CSA B125.1, NSF 61-Section 9 and NSF 372. Meets ADA ANSI/ICC A117.1 requirements.



Features & Benefits:

- Single hole deck mount mixing faucet w/ polished chrome plated brass body
- 14" swing nozzle
- · Stream regulator outlet, Series 1
- Quarter-turn Cerama cartridges with check valves to prevent cross flow of water
- Lever handles w/ color coded indexes
- 5 13/16" riser
- 18" flexible stainless steel supply hoses with 1/2" NPSM / 5/8" compression connections
- Material: Polished chrome plated brass body, riser & tubular spout, polished chrome metal handles

Product Compliance:

- ASME A112.18.1 / CSA B125.1
- NSF 61 Section 9
- · NSF 372 (Low Lead Content)
- ANSI A117.1 (ADA)

Warranty: One Year (Limited)

· Cerama Cartridges: Lifetime (Limited)

ADA Compliant

Performance Data:

- Pressure: 20 125 psi [1.38 8.62 bar]
- Temperature: 40°F 140°F [4.44°C 60°C]
- Flow Rate: 7.44 GPM [28.2 L/min] @ 60 psi [4.14 bar]

Optional Outlets (Series 1 / VR Series 6)

GPM	Aerated	(Laminar)	VR Aerated
0.35	N/A	□ B-0199-01-N035	N/A
0.5	N/A	□ B-0199-01-N05	N/A
1.0	□ B-0199-01-F10	N/A	□ B-0199-06-F10
1.2	□ B-0199-01-F12	□ B-0199-01-LF12	□ B-0199-06-F12
1.5	□ B-0199-01-WS	□ B-0199-29	□ B-0199-06-WS
2.2	□ B-0199-01	□ B-0199-21	□ B-0199-06

Non-Aerated

VR Non-Aerated (VR Laminar)

B-0199-06-N035
B-0199-06-N05
N/A
B-0199-06-LF12

□ B-0199-29VR


☐ B-0199-21-VRF

Optional Handles

- □ 4" Wrist Action□ Lever (Standard)
- □ 4-Arm

Optional Cartridges

□ Quarter-Turn Cerama w/ Check Valves (Standard) □ Quarter-Turn Eterna w/ Spring Checs









T&S BRASS AND BRONZE WORKS, INC.



