# **Swivel Sink and Pantry Faucets**


TAG:

**B-2283-CR** 

Deck Mixing Faucet

## **Architect/Engineering Specifications:**

4" deck mount mixing faucet with polished chrome plated brass body, 6" swing nozzle with stream regulator outlet, ceramic cartridges with check valves, lever handles and 1/2" NPT male supply nipples. Certified to ASME A112.18.1/CSA B125.1, NSF 61-Section 9 and NSF 372. Meets ADA ANSI/ICC A117.1 requirements.



#### Features & Benefits:

- 4" deck mount mixing faucet with polished chrome plated brass body
- 6" swing nozzle
- · Includes lock washer to convert to rigid
- Stream regulator outlet, Series 1
- Quarter-turn Cerama cartridges w/ check valves to prevent cross flow of water
- · Lever handles w/ color coded indexes
- 1/2" NPT female eccentric inlets w/ Ø 2" flanges
- 1/2" NPT male supple nipples included
- Adjustable centers from 3 3/4" to 4 1/4"
- Material: Polished chrome plated brass body & tubular spout and polished chrome plated metal handles

#### **Product Compliance:**

- ASME A112.18.1 / CSA B125.1
- NSF 61 Section 9
- NSF 372 (Low Lead Content)
- ANSI A117.1 (ADA)

#### Warranty: One Year (Limited)

· Cerama Cartridge: Lifetime (Limited)

# LOW LEAD COMPLIANT

#### Performance Data:

Pressure: 20 - 125 psi [1.38 - 8.62 bar]
Temperature: 40°F - 140°F [4.44°C - 60°C]

Flow Rate: 9.8 GPM [37.1 L/min] @ 60 psi [4.14 bar]



### Optional Outlets (Series 1 / VR Series 6)

		Non-Aerated		VII IIOII AOIAIGA	Optional Cartridges with Checks
GPM	Aerated	(Laminar)	VR Aerated	(VR Laminar)	□ Quarter-Turn Cerama w/ Check Valve (Standard)
0.35	N/A	□ B-0199-01-N035	N/A	□ B-0199-06-N035	□ Quarter-Turn Eterna w/ Spring Check
0.5	N/A	□ B-0199-01-N05	N/A	□ B-0199-06-N05	Ontional Handles
1.0	□ B-0199-01-F10	N/A	□ B-0199-06-F10	N/A	Optional Handles
1.2	□ B-0199-01-F12	□ B-0199-01-LF12	□ B-0199-06-F12	□ B-0199-06-LF12	☐ 4" Wrist Action
1.5	□ B-0199-01-WS	□ B-0199-29	□ B-0199-06-WS	□ B-0199-29VR	□ Lever (Standard)
2.2	□ B-0199-01	□ B-0199-21	□ B-0199-06	☐ B-0199-21-VRF	□ 4-Arm







