TES

T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

S-0205-LN

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

_		This Space for Architect/E	ngineer Approval
	VERSTEEL	Job Name	Date
		Model Specified	Quantity
3 5/16"	<u>5</u>	Customer/Wholesaler	
[84mm]	ADA Compliant	Contractor	
		Architect/Engineer	
T&S Stainless Nozzles. Conv 014200-45 Lod (Included) Stair Eterr Check Leve Code 1 5/8" [41mm] Maximum	erts to Rigid w/	ter-Turn Spring teel e Color [6]	2 5/8" 67mm]
Thickness	I/Z INFOIVI	iviale IIIIel	

Rough-In Requirement:

Ø1" [25mm] Mounting Hole

Product Specifications:

Stainless Steel Single Hole Single Temperature Deck Mount Faucet, Stainless Steel Quarter-Turn Eterna Cartridge w/ Spring Check, Stainless Steel Lever Handle & 1/2" NPSM Male Inlet, Less Nozzle

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA)

Drawn: JMD Checked: JRM Approved: JHB Date: 04/29/24 Scale: 1:3 Sheet: 1 of 2



T&S BRASS AND BRONZE WORKS, INC.


2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

S-0205-LN

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

	ITEM NO.	SALES NO.	DESCRIPTION				
	1	S002954-20	Shank Lock Nut				
ĺ	2	S000999-20	Stainless Steel Lock Washer				
	3	014200-45	Star Washer, Anti-Rotation				
	4	018506-19NS	Blue Button Index, Press-in				
	5	000925-45	Lab Handle Screw				
	6	S001638-30NS	Lever Handle (New Style)				
	7	S019639-30	Stainless Steel Quarter-Turn Eterna Cartridge RTC w/ Spring Check, Handle, Blue Index & Screw				
	8	S012443-30NS	Stainless Steel Quarter-Turn Eterna Cartridge w/ Spring Check, RTC				



Product Specifications:

Stainless Steel Single Hole Single Temperature Deck Mount Faucet, Stainless Steel Quarter-Turn Eterna Cartridge w/ Spring Check, Stainless Steel Lever Handle & 1/2" NPSM Male Inlet, Less Nozzle

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA)

<u></u>	INAD	OL	IDM	Α	11.15	D	0.4/00/0.4	0	NITO	0 1 0 1 1	\neg
Drawn:	JMD	Checked:	JRM	Approved:	JHB	Date:	04/29/24	Scale:	NIS	Sheet: 2 of 2	<u> </u>