

INTRODUCING OUR  
Singapore PUB / WELS Certified T&S Products

Check Out T&S Faucets and Pre-Rinse Units With This Important Certification!

T&S is proud to present a new product line certified for the Singapore market. **22 new models**, designated with an SP- naming, are Singapore PUB/WELS certified and are available for immediate sales. All come with an SP-F15 5.7L/min (1.5 GPM) Aerator.

The PUB approval process is highly stringent and precise in which the T&S products were tested for leak tightness, pressure resistance, flow rate, endurance, and toxicity, among others. The PUB rating scale is based upon ticks, with 3 ticks being the highest score possible.

For more information on the PUB/WELS certification, please visit [pub.gov.sg/wels](http://pub.gov.sg/wels).



SINGAPORE COMPLIANT

PUB / WELS Certified T&S Products  
CONFIGURATOR

Prefix	Type	Mount / Product	Add-On Faucet / Length
SP = Singapore PUB / WELS Certified T&S Product	1 = single hole, single temperature 2 = single hole, mixing 8 = two-hole, 204 mm (8") center	DF = deck-mount faucet DP = deck-mount pre-rinse unit WF = wall-mount faucet WP = wall-mount pre-rinse unit	00 = no add-on faucet (Pre-rinse Units) 05 = 127 mm (5") add-on faucet (SP-05) 08 = 204 mm (8") add-on faucet (SP-08) 10 = 254 mm (10") add-on faucet (SP-10) 12 = 305 mm (12") add-on faucet (SP-12)



SP-1DF05

Example:

SP -

1

DF

05

Note: For complete model numbers and configurations, please refer to the detailed list of approved models.

FAUCETS



PRE-RINSE UNITS



# CERTIFIED FAUCETS

SINGAPORE COMPLIANT

Base Faucet



Nozzle/  
Gooseneck



	Single Hole Single Temperature Deck-Mount (SP-1DF00)	Single Hole Mixing Deck-Mount (SP-2DF00)	Two Hole 204 mm (8") Center Deck-Mount (SP-8DF00)	Two Hole 204 mm (8") Center Wall-Mount (SP-8WF00)
-05 127 mm Swivel Gooseneck	SP-1DF05	SP-2DF05	SP-8DF05	SP-8WF05
-08 204 mm Swivel Nozzle	SP-1DF08	SP-2DF08	SP-8DF08	SP-8WF08
-10 254 mm Swivel Nozzle	SP-1DF10	SP-2DF10	SP-8DF10	SP-8WF10
-12 305 mm Swivel Nozzle	SP-1DF12	SP-2DF12	SP-8DF12	SP-8WF12



SP-1DF12



SP-2DF10



SP-8DF08



SP-8WF05



# CERTIFIED PRE-RINSE UNITS

SINGAPORE COMPLIANT

3 YEAR WARRANTY

Base Faucet



Nozzle



+ 5AFL00 Add-On Faucet

	Single Hole Mixing Deck-Mount (SP-2DF00)	Two Hole 204 mm (8") Center Deck-Mount (8DF00)	Two Hole 204 mm (8") Center Wall-Mount (8WF00)
-00 No Add-On Faucet	SP-2DP00	SP-8DP00	SP-8WP00
-12 305 mm Swivel Nozzle Add-On Faucet (with 5AFL00)	SP-2DP12	SP-8DP12	SP-8WP12

SP-2DP00



SP-8DP00



SP-8WP00



SP-2DP12



SP-8DP12



SP-8WP12



RELIABILITY BUILT IN™

## SPARE PARTS

SINGAPORE COMPLIANT



**SP-05**  
Swivel Gooseneck (125 mm)

**SP-08**  
Swivel Nozzle (204 mm)

**SP-10**  
Swivel Nozzle (254 mm)

**SP-12**  
Swivel Nozzle (305 mm)

**5AFL00**  
Add-On Faucet No nozzle /  
gooseneck




**SP-F15**  
Aerator 5.7 L/min (1.5 GPM)

**Adapter**  
½" NPSM Female x ½" BSPT Female

**UK-0107**  
Spray Valve

The T&S spray valve used on PUB WELS certified models has a 4.35 L/min flow rate, with equal or higher cleaning efficiency and cleaning power than spray valves with a higher flow rate. The design and engineering of the spray valve allows kitchens to clean using less water – and energy to heat the water – saving you money while implementing sustainable approaches in your kitchen. The UK-0107 Spray Valve is also UK WRAS approved.



**(012436-45DR)**  
Flex Hose



**(020465-45)**  
Check Valve

## LINKS / SPECIFICATION DRAWINGS



Product	Ticks	Spec Sheet Link	WELS Registration Number
<b>FAUCETS</b>			
SP-1DF05	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-1DF05.pdf">https://www.tsbrass.com/files/drawings/SP/SP-1DF05.pdf</a>	SKT/BT-2020/029250/SLS
SP-1DF08	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-1DF08.pdf">https://www.tsbrass.com/files/drawings/SP/SP-1DF08.pdf</a>	SKT/BT-2020/029251/SLS
SP-1DF10	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-1DF10.pdf">https://www.tsbrass.com/files/drawings/SP/SP-1DF10.pdf</a>	SKT/BT-2020/029252/SLS
SP-1DF12	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-1DF12.pdf">https://www.tsbrass.com/files/drawings/SP/SP-1DF12.pdf</a>	SKT/BT-2020/029253/SLS
SP-2DF05	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-2DF05.pdf">https://www.tsbrass.com/files/drawings/SP/SP-2DF05.pdf</a>	SKT/BT-2020/029254/SLS
SP-2DF08	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-2DF08.pdf">https://www.tsbrass.com/files/drawings/SP/SP-2DF08.pdf</a>	SKT/BT-2020/029255/SLS
SP-2DF10	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-2DF10.pdf">https://www.tsbrass.com/files/drawings/SP/SP-2DF10.pdf</a>	SKT/BT-2020/029256/SLS
SP-2DF12	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-2DF12.pdf">https://www.tsbrass.com/files/drawings/SP/SP-2DF12.pdf</a>	SKT/BT-2020/029257/SLS
SP-8DF05	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-8DF05.pdf">https://www.tsbrass.com/files/drawings/SP/SP-8DF05.pdf</a>	SKT/BT-2020/029264/SLS
SP-8DF08	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-8DF08.pdf">https://www.tsbrass.com/files/drawings/SP/SP-8DF08.pdf</a>	SKT/BT-2020/029267/SLS
SP-8DF10	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-8DF10.pdf">https://www.tsbrass.com/files/drawings/SP/SP-8DF10.pdf</a>	SKT/BT-2020/029266/SLS
SP-8DF12	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-8DF12.pdf">https://www.tsbrass.com/files/drawings/SP/SP-8DF12.pdf</a>	SKT/BT-2020/029268/SLS
SP-8WF05	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-8WF05.pdf">https://www.tsbrass.com/files/drawings/SP/SP-8WF05.pdf</a>	SKT/BT-2020/029269/SLS
SP-8WF08	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-8WF08.pdf">https://www.tsbrass.com/files/drawings/SP/SP-8WF08.pdf</a>	SKT/BT-2020/029270/SLS
SP-8WF10	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-8WF10.pdf">https://www.tsbrass.com/files/drawings/SP/SP-8WF10.pdf</a>	SKT/BT-2020/029271/SLS
SP-8WF12	2	<a href="https://www.tsbrass.com/files/drawings/SP/SP-8WF12.pdf">https://www.tsbrass.com/files/drawings/SP/SP-8WF12.pdf</a>	SKT/BT-2020/029272/SLS
<b>PRE-RINSE UNITS</b>			
SP-2DP00	3	<a href="https://www.tsbrass.com/files/drawings/SP/SP-2DP00.pdf">https://www.tsbrass.com/files/drawings/SP/SP-2DP00.pdf</a>	SKT/BT-2020/029258/SLS
SP-2DP12	3	<a href="https://www.tsbrass.com/files/drawings/SP/SP-2DP12.pdf">https://www.tsbrass.com/files/drawings/SP/SP-2DP12.pdf</a>	SKT/BT-2020/029259/SLS
SP-8DP00	3	<a href="https://www.tsbrass.com/files/drawings/SP/SP-8DP00.pdf">https://www.tsbrass.com/files/drawings/SP/SP-8DP00.pdf</a>	SKT/BT-2020/029260/SLS
SP-8DP12	3	<a href="https://www.tsbrass.com/files/drawings/SP/SP-8DP12.pdf">https://www.tsbrass.com/files/drawings/SP/SP-8DP12.pdf</a>	SKT/BT-2020/029261/SLS
SP-8WP00	3	<a href="https://www.tsbrass.com/files/drawings/SP/SP-8WP00.pdf">https://www.tsbrass.com/files/drawings/SP/SP-8WP00.pdf</a>	SKT/BT-2020/029262/SLS
SP-8WP12	3	<a href="https://www.tsbrass.com/files/drawings/SP/SP-8WP12.pdf">https://www.tsbrass.com/files/drawings/SP/SP-8WP12.pdf</a>	SKT/BT-2020/029263/SLS



RELIABILITY BUILT IN™



For more information, contact: **Cyndi Neoh** ph +60164336426 email [cneoh@tsbrass.com](mailto:cneoh@tsbrass.com)  
**Andrew Clayton** ph +8613764342320 email [aclayton@tsbrass.com](mailto:aclayton@tsbrass.com)

No. 43 Jinwen Road • Zhuqiao Town • Pudong New District • 201323 Shanghai, P.R.C.  
[csasia@tsbrass.com](mailto:csasia@tsbrass.com)